

FSC^o C021437

HARDWARE 4-51

BACKPACKS 52 - 87

SLEEPINGBAGS 88 - 107

TENTS 107 - 121

ACCESSORIES 122 - 145

HARDWARE



2296 VAYU 0240 YELLOW, 0010 WHITE, 0016 RED, 0051 GREEN, 0330 TURQUOISE, 0723 WALNUT



2297 VEGA0016 RED, 0010 WHITE, 0051 GREEN, 0240 YELLOW, 0723 WALNUT, 0330 TURQUOISE



NEW



1745 VERT FSM0010 WHITE, 0990 BLACK, 3990 NIGHT/BLACK, 4912 INK, 5320 GREEN, 8565 ICE BLUE Page 14



2286 DURO 8465 POLAR BLUE, 0015 WHITE, 5315 CACTUS

Page 14



1521 HMS PRO 0535 LIME GREEN 1498 HMS SAFE LOCK G2 0535 LIME GREEN Page 23



1724 HOT G3 SCREW

Page 24



1718 HMS BELAY TWIST LOCK 0730 MAGNET



1648 ERGOTEC 2.0 Page 25



1645 ATTAC G3 0165 RED Page 25

HARNESSES



807 ROCK M 0007 LIMESTONE GREY

Page 17

Page 18



804 VIA FERRATA EVO



T GREY/DARK RED

790 CIVETTA II

Page 18



1750 XPLORER ROOKIE Page 19

806 ROCK PURE

Page 17

0809 VIA FERRATA EVO ROOKIE Page 19



805 XPLORER

Page 18

1748 ROOKIE FB Page 19

COMPONENTS

1525 HMS SCREW G2

Page 24



1735 FLY STRAIGHT 1736 FLY BENT 1737 FLY WIRE 0455 LIGHT ORANGE

Page 26



1697 SLING PROTECTOR

Page 27



1721 HOT G3 STRAIGHT 1722 HOT G3 BENT 1723 HOT G3 WIRE

Page 26



1732 HOT STEEL BENT

Page 27



1733 QUICKDRAW SLING DYNEEMA



1471 MAILLON RAPID

Page 27



1734 QUICKDRAW SLING NYLON 0165 BLACK/RED



1731 MAILLON TWIST LOCK

Page 27

VIA FERRATA



958 ERGO ZIP 0095 BLACK/ BLUE Page 21



957 ERGO TEX 0095 BLACK/ BLUE Page 21



944 PREMIUM ATTAC 0165 BLACK/ RED Page 21

QUICKDRAWS



1725 EXPRESS SET DYN HOT G3 STRAIGHT/BENT 1726 EXPRESS SET DYN HOT G3 STRAIGT/WIRE 1727 EXPR SET DYN HOT G3 WIRE/WIRE Page 31



Page 31

HARDWARE | OVERVIEW HARDWARE | OVERVIEW

1742 NORTH-X 3990 NIGHT/BLACK

1094 PICK GUARD 2400 YELLOW

CRAMPONS

Page 42

Page 43

1010 TOUR-X SL COMBI 0305 SILVER/ STEEL

873 INSTEP LONG POINT 874 INSTEP SHORT POINT 0099 BLACK

Page 46

Page 43

HARDWARE



Page 34

Page 35

Page 37

1720 ERGO BELAY SYSTEM 3990 NIGHT



1484 ALPINE TUBER 0335 SKY BLUE

414 SOFTY 90 MM 415 SOFTY 75MM

Page 36

1475 SKYRIDE ROPE ASCENDER 415 SOFTY 75MM 416 SOFTY 50 MM 0535 LIME GREEN 0530 LIMEGREEN



1485 MONO TUBER 0335 SKY BLUE

408 ANGLE PITON 115 MM 409 ANGLE PITON 70 MM 0900 BLACK

Page 34

Page 36

Page 37



1634 FIGURE 8 MEDIUM G 0985 TITAN

Page 35

Page 36







1637 ROPE PULLEY G2 0535 LIME GREEN





410 UNIVERSAL 100 MM 411 UNIVERSAL 70 MM



412 BLADE PITON 70 MM 413 BLADE PITON 55 MM 0900 BLACK



1470 CHOOK HOOKY

Page 38

Page 36



1741 NORTH-X HAMMER 3990 NIGHT/BLACK

Page 42

1743 LEASH 0990 BLACK

Page 43

814 ALPINIST WALK 815 ALPINIST COMBI 816 ALPINIST STEP-IN

912 CRAMPON POINT PROTECTOR 2400 YELLOW

Page 44

Page 47

ICE SCREWS

1715 QUICK SCREW 0130 GREEN, 0160 BLUE, 0190 RED



811 ALPINIST ALU WALK 812 ALPINIST ALU COMBI 813 ALPINIST ALU STEP-IN



SHOVELS

Page 47



877 COMFORT 2.0 INSTEP

810 ALPINIST LONG BAR 0999 STEEL

1075 TOUR-X PR 0450 ORANGE

1744 NORTH-X BLADE 0990 BLACK

Page 43

Page 43

Page 47

Page 46

ROPES & SLINGS

1482 ANCHOR FOR BOLT



442 SPEED QUEEN 9,1MM 0995 GREEN/ YELLOW

647 DYNEEMA SLING 1035 GREEN, 1125 RED, 1065 BLUE

Page 39



1488 BOLT HANGER 0090 NATURAL

Page 37

445 BASE 9,8MM

648 NYLON SLING 1035 GREEN, 1065 BLUE, 1125 RED



1600 BELAY STATION BOLT CHAIN

443 ALPINEEXTREME 9,9MM 0995 BLUE/ RED Page 39

603 ALPINO LOOP



1160 ROCKHAMMER

Page 38


444 DOUBLE 8,0MM

639 MASTER CORD SPOOL

Page 39


Page 41







640 MASTER CORD 6MM PRECUT



641 AUXILIARY CORD 60M SPOOL 1005 GREEN, 1008 BLUE, 1045 ORANGE, 1124 YELLOW Page 41



2620 RAZOR

Page 50



2621 SCRATCH 0455 LIGHT ORANGE, 0535 LIME GREEN

Page 50

Page 48 **PROBES**



Page 51

2637 LIGHTNING CARBON 320 PRO





Page 51



2639 LIGHTNING 320 PRO 5386 GREEN/ BLACK 2640 LIGHTNING 240 5386 GREEN/ BLACK

Page 40

VAYU HELMET HEAD OUT SAFELY

Light, comfortable and built to resist – the Vayu Helmet sets new standards in head protection. The helmet's unique lightshell construction and innovative lightweight materials minimize weight and retain excellent impact resistance capabilities. A tough polymer outer-shell and multi-impact inner shell ensure robustness, while large openings provide optimal ventilation and compliment the Vayu's sleek design.

salewa.com



SIGNATURE PRODUCT

Jope that

HARDWARE | HELMETS

HELMET TECHNOLOGIES

The perfect helmet is essential for outstanding performance in mountain sports: it must offer reliable protection, both from rockfall & impacts during a fall; remaining light enough to feel "barely there" and allow for maximum airflow to keep a cool head.

All SALEWA helmets have the pretension to be best-in-class due to our innovative technical solutions and use of high-performance materials.



ULTRALIGHTWEIGHT PROTECTION

CARBON NANO TEC comprises carbon nanotube-polymer composite which offers an extraordinary strength-to-weight ratio. The use of CNT in the outer shell of the VAJU helmet makes it possible to reduce the wall thickness and therefore the weight of the helmet to a minimum without compromising protection. The VAJU is the first ever climbing helmet to use CNT to provide maximum safety while remaining exceptionally light.

MULTI-IMPACT RESISTANCE

For shock absorption most helmets use EPS (expanded polystyrene), a material that will be permanently compressed when absorbing an impact. The shock-absorbing elements of the inner shell of the VAJU and VEGA helmets are made from EPP (expanded polypropylene) which is a high performance plastic foam material with outstanding energy absorption. EPP protects from multiple impacts without damage.



SUPREME VENTILATION

Due to the exceptional stiffness of the CNT used in the outer shell of the VAJU the design of the helmet could be stretched to the limits, opening massive vents that allow for maximum airflow without sacrificing protection.

Setting new standards, the best ever SALEWA helmet is ultra-light and boasts uncompromising ventilation, safety and style.

FEATURES:

WEIGHT: SIZE: CERTIFICATIONS:

- The high-strength CNT-Shell (Carbon Nano Technology) provides maximum protection and durability at minimum weight (180g)
 Inner-shell elements made of expanded polypropylene (EPP) give

- resistance to multiple impacts
 Generous vents provide excellent ventilation
 Minimalist adjustment system makes for easy adaptation to any head shape

180 g (S/M) S/M (53 - 59 cm)- L/XL (59 - 63 cm)

EN 12492, UIAA 106

- Integrated headlamp clipsEasy to clean, removable and washable padding







0016 RED





0330 TURQUOISE



0723 WALNUT

Light and versatile helmet for climbing and mountaineering.

- Tough outer shell made of high strength plastic offers efficient protection against impact at low weight
 Inner-shell elements made of expanded polypropylene (EPP) give
- resistance to multiple impacts

 Great fit and light weight makes for maximum wearability and comfort
- Ensures excellent ventilation through numerous vents and
- reduced padding

 Even with gloves, the adjustment wheel allows for quick and easy adaptation of the helmet

0016 RED

- Integrated headlamp clips Easy to clean, removable and washable padding



0010 WHITE

200 g (S/M) S/M (53 - 59 cm)- L/XL (59 - 63 cm) WEIGHT: SIZE: CERTIFICATIONS: EN 12492, UIAA 106



0051 GREEN



0240 YELLOW



0723 WALNUT



0330 TURQUOISE





0051 GREEN





0240 YELLOW

12|

Upwards as well as downwards - the extremely versatile Climb-to-ski helmet is the ideal compromise between the classic climbing helmet and the more fashion-conscious ski one, without foregoing safety, in any way.

FEATURES:

- Double certification (skiing and climbing).
- A streamlined shape protects the temples and the back of the head.
- lightweight.
 Optimal ventilation thanks to big slots and air vents on the inside.
 Removable and washable Tech Padding keeps humidity at bay and guarantees enhanced comfort.
- Removable ear protections made of Tech Padding guarantee optimal Removable ear protections made of fecti radding guarantee optimal ventilation and reduced volume.
 Magnetic fitlock buckle, easily operable with one hand/ with gloves on.
 Full integration and ventilation for ski glasses (goggles).
 Adjustment wheel for perfect fit.



0010 WHITE

WEIGHT:

350 g (S/M) S/M (54 - 57 cm), L/XL (58 - 61 cm) EN 12492, EN 1077 SIZE: CERTIFICATIONS:

0990 BLACK



8565 ICE BLUE

5315 CACTUS

3990 NIGHT/BLACK

2286 DURO

Superb performance for all alpine adventures, especially for via ferrata.

FEATURES:

- Hardshell helmet made of polypropylene
- EPS foam shock absorption pad
- Large-sized ventilation slits and excellent moisture transfer
 Available in 2 sizes, suitable for all head sizes, also for children
 4 helmet lamp clips, generously sized for perfect fixing
 Small extra guard for more face protection during alpine and ice

- Adjustment wheel, upward-adjustable and operable with one
- Removable comfort lining, washable, easy-care
 All components are recyclable



HELMETS

| VERT | VAYU | VEGA | DURO |
|--------------------------|---|--|--|
| 1745 | 2296 | 2297 | 2286 |
| In-Mould | Light shell | Light shell | Hard shell |
| 350g | 180g | 200g | 335g |
| S/M L/XL | S/M L/XL | S/M L/XL | S/M L/XL |
| 54 - 57 cm 58 - 61 cm | 53 - 59 cm 59 - 63 cm | 53 - 59 cm 59 - 63 cm | 48 - 58cm 56 - 63cm |
| | | | |
| | | | NAMA |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | 1745 In-Mould 350g S/M L/XL 54 - 57 cm 58 - 61 cm | 1745 2296 In-Mould Light shell 350g 180g S/M L/XL 54 - 57 cm 58 - 61 cm 53 - 59 cm 59 - 63 cm | 1745 2296 2297 In-Mould Light shell Light shell 350g 180g 200g S/M L/XL S/M L/XL L/XL 54 - 57 cm 58 - 61 cm 53 - 59 cm 59 - 63 cm 53 - 59 cm 59 - 63 cm |

HARDWARE | HELMETS

14|

335 g (S/M) S/M (48 - 58cm), L/XL (56 - 63cm) EN 12492, UIAA106

8465 POLAR BLUE

HARNESS TECHNOLOGIES





01 | 90SAFX BUCKLE

The Salewa 90SafX buckle (pat. pending) meets the highest safety standards: up to an angle of 90° the buckle is completely locked, without any slippage. Once beyond 90° the buckle can be released with minimal effort thanks to our Easy-Slide-Technology. This prevents accidental loosening of the buckle while retaining ease of use. The light version is a combination of aluminum and stainless steel maximising strength to weight ratio. The basic version is made completely from stainless steel.



02 | EVOBELT

The Salewa Evobelt maintains perfect symmetry on the sit harness: using a hybrid construction combines the flexibility of a floating waist belt with the advantage of a conventional sewn construction (fixed padding position). That means that the Evobelt is adjustable to any waist size allowing the gear loops to always remain on the sides within ergonomic, contortion-free reach. Once the correct position has been set slippage will not occur.



03 | VARIO WEBBING

The rock line harnesses use a special variable width webbing. This allows for the thinnest possible width where buckles are attached in order to save weight. In areas of high pressure the webbing is wide in order to absorb the resulting forces and distribute them evenly over the entire surface. Thus, our harnesses retain unmatched comfort.



High quality, reliable all-around harness with full adjustability and uncompromising comfort for all alpine activities throughout the year.

PRODUCT FEATURES:

Optimal symmetry thanks to Evo belt padding

- Balanced pressure distribution thanks to Vario Webbing

Excellent breathability thanks to 3D Vapor Mesh

Adjustable leg loops

- Aujustable teg loups - Three 90SafX buckles in light version (pat. pending) - Four gear loops: two molded 3D loops in the front, two softer rear loops

WAIST:

LEGS:

for comfortable carrying of backpack

- Two loops for carry tool

- Two accessory loops , e.g., for chalk bag attachment

- Integrated wear indicator increases safety



NOTES

0007 LIMESTONE GREY

808 ROCK W

76 - 91 85 - 101 58 - 69 61 - 72

70 - 84

WFIGHT

CERTIFICATIONS:

Optimized version of rock M. for female anatomy.

430 g (M/L)

EN 12277 Type C

PRODUCT FEATURES:

Optimal symmetry thanks to Evo belt padding

Balanced pressure distribution thanks to Vario Webbing

Excellent breathability thanks to 3D Vapor Mesh · Adjustable leg loops

- Three 90SafX bucklesin light version (pat. pending)

- Four gear loops: two molded 3D loops in the front, two softer rear loops for comfortable carrying of backpack

- Two loops for carry tool

- Two accessory loops , e.g., for chalk bag attachment

- Integrated wear indicator increases security



70 - 84 76 - 91 WAIST: 65 - 78 CERTIFICATIONS: EN 12277 Type C

8560 REEF

NOTES

806 ROCK PURE

For ambitious climbers: Light unisex harness with optimal freedom of movement and comfort.



PRODUCT FEATURES:

Optimal symmetry thanks to Evo belt padding

Balanced pressure distribution thanks to Vario Webbing

Excellent breathability thanks to 3D Vapor Mesh

Adjustable leg loops

Three 90SafX buckles in light version (pat. pending)

Four gear loops: two molded 3D loops in the front, two softer rear loops for comfortable carrying of backpack

- Two loops for carry tool

- Two accessory loops , e.g., for chalk bag attachment

- Integrated wear indicator increases security



 XS
 S
 M
 L
 XL

 65 - 78
 70 - 84
 76 - 88
 80 - 95
 85 - 101

 46 - 49
 49 - 53
 53 - 58
 56 - 61
 59 - 64
 WAIST CERTIFICATIONS: EN 12277 Type C

7200 SAND

HARDWARE | HARNESSES

The robust all-rounder for quality-conscious climbers.

PRODUCT FEATURES:

- Optimal symmetry thanks to Evo belt padding
- Excellent breathability thanks to 3D Vapor Mesh
- Adjustable leg loops
- Three 90SafX buckles in light version (pat. pending)
 Four gear loops: two molded 3D loops in the front, two softer rear loops for comfortable carrying of backpack
- Two accessory loops , e.g., for chalk bag attachment - Integrated wear indicator increases security



| | | | XS/S | M/L | L/XL |
|-----------------|-----------------|--------|------|---------|----------|
| WEIGHT: | 480 g (M/L) | WAIST: | | 76 - 91 | 85 - 101 |
| CERTIFICATIONS: | EN 12277 Type C | LEGS: | | 55 - 64 | 61 - 72 |

0788 CARBON

804 VIA FERRATA EVO

PRODUCT FEATURES:

- Three 90SafX buckles in basic version (pat. pending)

Robust climbing harness ensures maximum safety.

- Gear loop



| | | | ON |
|----------------------------|--------------------------|-----------------|---------------------|
| VEIGHT: CERTIFICATIONS: | 430 g EN 12277 Type C | WAIST: LEGS: | 75 - 125 43 - 80 |
| | | 1 | |

0788 CARBON/ POLAR BLUE

790 CIVETTA II

NOTES

Fully adjustable full-body harness for high-alpine tours and via ferrata.

PRODUCT FEATURES:

- Pulls on easily with snap-lock buckles on leg loops
- Fully adjustable
- Reinforced Cordura® tie-in loop
- 2 fabric loops

18|



WEIGHT: SIZE CHEST: WAIST: 65 - 130 40-65 cm EN 12277 Type A



1750 XPLORER ROOKIE

The Xplorer kids version offers maximum safety for tomorrow's climbing stars.



FEATURES:

- Thanks to the EvoBelt padding, centering of the belay loop is easy
- Belay loops in contrasting colors simplify visual checks - Adjustable leg loops with wide-range settings guarantee optimum
- fit even for growing children

 3D vapor mesh offers highest seating comfort and outstanding
- breathability
- Three 90SafX buckles in basic version (patent pending) make for easy adjustment and maximum safety
- Two molded 3D loops
- Chalk bag attachment



7200 SAND

0809 VIA FERRATA EVO ROOKIE

XXS+ EN 12277 Type C

Children's version of Via Ferrata EVO.

PRODUCT FEATURES:

- Three 90SafX buckles in basic version (pat. pending)
- Gear loop

WEIGHT:

SIZE: CERTIFICATIONS:



0788 POLAR BLUE/CARBON

1748 ROOKIE FB

XXS/S

NEW

NOTES

ROCKIELINE

RUCKELINE

Boasts fully adjustable full body harness for a child's first steps on the mountain or rock.

EN 12277 Type C LEGS:

CERTIFICATIONS:

- Three 90SafX buckles in basic version (patent pending) make for easy adjustment and maximum safety
- 3D vapor mesh offers highest seating comfort and outstanding breathability
- Elastic inserts at the back and geometric arrangement of upholstered elements guarantee optimum fit even for a growing
- Tie-in points in contrasting colors simplify visual checks
- Padded panels keep the harness in shape, simplifying donning.



2400 YELLOW

WEIGHT: 473 g (max. 40 kg) 38 - 52 cm SIZE CHEST: HIGHT: 90 -120 cm CERTIFICATIONS: EN 12277 Type B

HARDWARE | HARNESSES HARDWARE | HARNESSES

| | ROCK M | ROCK W | ROCK PURE | XPLORER | VF EVO | VF EVO ROOKIE | XPLORER ROOKIE | ROOKIE FB |
|------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| | 0807 | 0808 | 0806 | 0805 | 0804 | 0809 | 1750 | 1748 |
| Closure system | 3x 90SafX Light | 3x 90SafX Light | 1x 90SafX Light | 3x 90SafX Basic |
| Leg loop adjustment | • | • | | • | • | • | • | • |
| Weight | 430g (M/L) | 420g (S/M) | 380g (M) | 480g (S/M) | 430g (UNI) | 360g (XXS/S) | 360 g | 473 g |
| Size | S/M, M/L, L/XL | XS/S, S/M, M/L | XS, S, M, L, XL | XS/S, S/M, M/L | UNI | XXS/S | UNI | UNI |
| ACTIVITIES: | | | | | | | | |
| Via Ferrata | | | | | | NVAVA | | |
| Alpine Climbing | | | | | | | | |
| Sports Climbing | | | | | | | | |
| Ice Climbing | | N/N/ | | | | | | |
| Rental | | | | | | | | |



958 ERGO ZIP


A via ferrata set with Ergotec 2.0 carabiners in new design plus shock absorbers and integrated Zip Roller.

PRODUCT FEATURES:

- Extreme safety with unsurpassed handling comfort Ergotec carabiner fits the hand perfectly, even kids' hands

- Ergotec Carabilier fits the hand perfectly, even kids finitions
 Save 30% more energy with an ergnomic hand fit
 Extra-wide opening enables fast and secure clipping in and out
 Flattened shape can flex under loads without breaking
 Zip System enables close-to-the-body handling, thus eliminating the risk of trips
- Equipped with tear webbing energy absorber Rest loop on the energy absorber Suitable for 50 120 kg







0095 BLACK/ BLUE

NOTES:

NOTES:

957 ERGO TEX

WEIGHT: BREAKING LOADS LONGITUDINAL: BREAKING LOADS LATERAL: BREAKING LOADS OPEN:

Ligthweight and compact, a via ferrata set with Ergotec 2.0 carabiners in new design, shock absorbers and bungee-style lanyards.

15 kN

PRODUCT FEATURES:

- Ergotec carabiner fits the hand perfectly, even kids' hands

- Ergotec Carabiner fits the hand perfectly, even kids' hands
 Save 30% more energy with an ergonomic hand fit
 Extra-wide opening enables fast and secure clipping in and out
 Flattened shape can flex under loads without breaking
 Bungee-style lanyards enable close-to-the-body handling
 Equipped with tear webbing energy absorber
 Rest loop on the energy absorber
 Suitable for 50 120 kg





WEIGHT: BREAKING LOADS LONGITUDINAL: BREAKING LOADS LATERAL: 15 kN EN 958, UIAA 128



0095 BLACK/ BLUE


944 PREMIUM ATTAC

A compact via ferrata set with top handling characteristics.

PRODUCT FEATURES:

- Robust Attac Carabiner with the intelligent opening and locking mechanism
- Bungee-style lanyards for close-to-the-body carabiner handling
 Equipped with tear webbing energy absorber
 Rest loop on the energy absorber
 Suitable for 50 120 kg

11 kN





WEIGHT: BREAKING LOADS LONGITUDINAL: BREAKING LOADS LATERAL BREAKING LOADS OPEN:

0165 BLACK/ RED



HMS carabiner with brass screwgate. The guarantee for a long lifespan.



WEIGHT: SIZE: MATERIAL: CERTIFICATIONS:

81 g 105 x 74 mm Aluminium 7010 T6 EN 12275, UIAA 121

BREAKING LOADS LONGITUDINAL: BREAKING LOADS LATERAL: BREAKING LOADS OPEN

0535 LIME GREEN

1498 HMS SAFE LOCK G2

HMS carabiner with a three-way locking technology - lift, turn and then open.



WEIGHT: SIZE: MATERIAL: CERTIFICATIONS:

95 g 110 x 73 mm Aluminium 7010 T6 EN 12275, UIAA 121

BREAKING LOADS LONGITUDINAL: BREAKING LOADS LATERAL: BREAKING LOADS OPEN:

8 kN 9 kN

0535 LIME GREEN

1718 HMS BELAY TWIST LOCK

HMS carabiner with self-locking mechanism and twist lockideal for belaying.



WEIGHT: SIZE: MATERIAL: CERTIFICATIONS: 92 g 114 x 75 mm Aluminium 7010 T6 EN 12275, UIAA 121

BREAKING LOADS LONGITUDINAL: BREAKING LOADS LATERAL: BREAKING LOADS OPEN:

0730 MAGNET

8 kN 15 kN

NOTES:

HMS biner with self-locking mechanism: quarter turn required to open.



WEIGHT: SIZE: MATERIAL:

114 x 75 mm Aluminium 7010 T6 EN 12275, UIAA 121

BREAKING LOADS LONGITUDINAL BREAKING LOADS LATERAL: BREAKING LOADS OPEN:

0535 LIME GREEN

1525 HMS SCREW G2

Classic HMS carabiner with screwgate.



0335 SKY BLUE

77 g 22kN 9 kN Alu 7075 T6



0535 LIME GREEN

1724 HOT G3 SCREW

WEIGHT: BREAKING LOADS LONGITUDINAL:

BREAKING LOADS OPEN:

Our classic for quality-conscious novices, a durable biner with the best price-performance relationship.



WEIGHT: SIZE: MATERIAL: Alu 7075 T6 CERTIFICATIONS: EN 12275, UIAA 121

24|

BREAKING LOADS LONGITUDINAL BREAKING LOADS LATERAL:

0165 RED

1648 ERGOTEC 2.0

Thanks to its ergonomic shape, our new innovative via ferrata carabiner is always simple, quick and secure to use even in different grip

PRODUCT FEATURES:

- Ergonomically shaped carabiner that saves 30% more energy
- Fits the hand perfectly, even kids' hands

 Extra-wide opening enables fast and secure clipping in and out

 Flattened shape can flex under loads without breaking

 Ideal for self-belaying and in rescues

154 x 87 mm Alu 7075 T6 EN 12275, UIAA 121



5306 SILVER/BLUE

1645 ATTAC G3

The classic: The first via ferrata biner with the comfortable ball-lock

PRODUCT FEATURES:

CERTIFICATIONS:

- Intelligent opening and locking mechanism eliminates unplanned



WEIGHT: 133 g 137 x 73 mm Alu 6066 T6 SIZE: MATERIAL: CERTIFICATIONS: EN 12275, UIAA 121

BREAKING LOADS LONGITUDINAL: BREAKING LOADS LATERAL:

BREAKING LOADS LONGITUDINAL:

BREAKING LOADS LATERAL: BREAKING LOADS OPEN:

0165 RED



NOTES:

For extreme climbers, our lightest biner, ideal for alpine tours where every gram counts.

PRODUCT FEATURES:

- High breaking load ratings with low weight
- Compact shape, takes minimal space Available in three different gate shapes



NOTES:



| 1737 55 LIGHT ORANGE | E |
|-------------------------|---|

1721 HOT G3 STRAIGHT 1722 BENT 1723 WIRE

93 x 54 mm Alu 7075 T6

EN 12275, UIAA 121

NOTES:

WEIGHT:

LATERAL:

BREAKING LOADS

LONGITUDINAL:

Our classic for quality-conscious novices, a durable biner with the best price-performance relationship.

PRODUCT FEATURES:

SIZE: MATERIAL:

CERTIFICATIONS:

- Available in three different gate shapes

100 x 64 mm

Alu 7075 T6 EN 12275, UIAA 121





1721 1722 43 g 43 g BREAKING LOADS LONGITUDINAL: 23 kN 23 kN LATERAL: 8 kN 8 kN 8 kN 8 kN LOADS OPEN:

1735

8 kN

1736

35 g

24 kN

8 kN

8 kN

24 kN

7 kN

1733 QUICKDRAW SLING DYNEEMA

Dyneema quickdraw slings.

MATERIAL: CERTIFICATIONS:



| | | | 110 | 160 | 190 | |
|---------------|-------|--------------|-----|-----|------|---------------|
| WIDTH: | 12 mm | WEIGHT: | 7 g | 9 g | 11 g | 0165 GREY/RED |
| MAXIMUM LOAD: | 22 kN | LENGTH (MM): | 110 | 160 | 190 | |

1734 QUICKDRAW SLING NYLON

Nylon quickdraw slings.



0165 BLACK/RED

| WIDTH: 16 mm WEIGHT: 12 g 1 | 160 19 | Уl |
|-------------------------------|-------------------|-----------|
| 126 2 | 15 g 17 160 19 | 7 g 90 |

1697 SLING PROTECTOR

Keeps the biner in the optimal position in the quickdraw to enable easier clipping in and increase safety.



NOTES:

SIZE: MATERIAL: 10 mm, 12 mm, 16 mm

0905 BLACK

1732 HOT STEEL BENT

Steel biner specially designed for fixed belays on climbing walls.



BREAKING LOADS LONGITUDINAL FN 12275 BREAKING LOADS LATERAL: BREAKING LOADS OPEN: CERTIFICATIONS:

8 kN 7 kN

10 kN

0995 STEEL

1471 MAILLON RAPID

WEIGHT:

MATERIAL:

SIZE:

Carabiner for use between fixed pro points.

136 g 101 x 60,5 mm



WEIGHT: 77 g 71 x 38 mm SIZE: MATERIAL: Stainless steel 316 CERTIFICATIONS: EN 362

BREAKING LOADS LONGITUDINAL: BREAKING LOADS LATERAL:

0999 NATURAL

NOTES:

1731 MAILLON TWIST LOCK

The perfect solution for the climbing wall.

PRODUCT FEATURES:

- The anti-turn device of the Maillon Rapid carabiner avoids any unnecessary loading.



WEIGHT: 18 g 40 x 38 mm SIZE: MATERIAL: Polyamid

3990 NIGHT

HARDWARE | COMPONENTS 26|

CARABINERS

| | SAFETY CARABINERS | | | | | | |
|-----------------------------|--------------------|---------------------|-------------------------|----------------------|--------------------------------------|--------------------------------------|--------------|
| | HMS PRO | HMS SAFE LOCK G2 | HMS BELAY TWIST LOCK | HMS TWIST LOCK G2 | HMS SCREW G2 SMALL | HMS SCREW G2 MEDIUM | HOT G3 SCREW |
| | 1521 | 1498 | 1718 | 1497 | 1525 | 1525 | 1724 |
| COLOR | 0535 lime green | 0535 lime green | 0730 magnet | 0535 lime green | 0335 sky blue, 0535 lime green | 0335 sky blue, 0535 lime green | 0165 red |
| WEIGHT | 81g | 95g | 92g | 92g | 77g | 86g | 46g |
| BREAKING LOADS LONGITUDINAL | 24 kN | 22 kN | 24 kN | 24 kN | 23 kN | 23 kN | 23 kN |
| BREAKING LOADS | 9 kN | 8 kN | 9 kN | 9 kN | 9 kN | 9 kN | 8 kN |
| ← 🈂 → BREAKING LOADS OPEN | 7 kN | 9 kN | 7 kN | 7 kN | 7 kN | 7 kN | 8 kN |
| SIZE | 105 x 74 mm | 110 x 73 mm | 114 x 75 mm | 114 x 75 mm | 100 x 70 mm | 100 x 72 mm | 99 x 57 mm |

| VIA FERRATA CARABINERS | | COMPONENTS | | | | | |
|------------------------|-------------|----------------------|----------------------|----------------------|--------------------|-------------|-------------|
| ERGOTEC 2.0 | ATTAC G3 | FLY STRAIGHT | FLY BENT | FLY WIRE | HOT G3 STRAIGHT | HOT G3 BENT | HOT G3 WIRE |
| 1648 | 1645 | 1735 | 1736 | 1737 | 1721 | 1722 | 1723 |
| 5306 silver blue | 0165 red | 0455 light orange | 0455 light orange | 0455 light orange | 0165 red | 0165 red | 0165 red |
| 115g | 133g | 35g | 35g | 32g | 43g | 43g | 40g |
| 27 kN | 27 kN | 24 kN | 24 kN | 24 kN | 24 kN | 24 kN | 23 kN |
| 8 kN | 8 kN | 8 kN | 8 kN | 7 kN | 8 kN | 8 kN | 8 kN |
| 15 kN | 11 kN | 8 kN | 8 kN | 9 kN | 8 kN | 8 kN | 8 kN |
| 154 x 87 mm | 137 x 72 mm | 94 x 55 mm | 94 x 55 mm | 94 x 55 mm | 99 x 58 mm | 99 x 58 mm | 99 x 58 mm |

28 | HARDWARE | CARABINERS HARDWARE | CARABINERS

1738 FLY STRAIGHT/BENT 1739 STRAIGHT/WIRE 1740 FLY WIRE/WIRE

The quickdraw for demanding climbers: superlight Fly Carabiner combined with the narrow 10mm Dyneema sling and Sling Protector to prevent twisting.



1739 0455 LIGHT ORANGE 1740 0455 LIGHT ORANGE

MAXIMUM LOAD: BAND SIZE: CERTIFICATIONS:

110 x10 mm

1738 1739 1740 79 g 74 g 71 g

1738 0455 LIGHT ORANGE

1728 HOT G3 STRAIGHT/BENT 1729 STRAIGHT/WIRE 1730 WIRE/WIRE

Classic quickdraw for the quality-conscious novices: durable Hot Carabiner with nylon sling and Sling Protector to prevent twisting.



1728 0165 RED



1725 DYN HOT G3 STRAIGHT/BENT 1726 STRAIGHT/WIRE 1727 WIRE/WIRE

110 x16 mm EN 566

Classic quickdraw for the quality-conscious novices: durable Hot Carabiner with Dyneema sling and Sling Protector to prevent twisting.







MAXIMUM LOAD: BAND SIZE: CERTIFICATIONS:

MAXIMUM LOAD: BAND SIZE: CERTIFICATIONS:

22 kN 110 x12 mm

WEIGHT:

96 g 83 g

1728 1729 1730 100 g 92 g 86 g

1725 1726 1727

1726 0165 RED

HARDWARE | QUICKDRAWS

ERGO BELAY SYSTEM SMOOTH BELAYING

The Ergo Belay System puts an end to those octopus arm movements while belaying. Thanks to its unique ergonomic design and grip, the braking hand never has to leave the rope, meaning better efficiency, smoother handling and a safer experience.

Gives out rope faster without blocking.

Increased safety through fast engagement of locking mechanism.

Intuitive ergonomic handling, with both hands on the rope at all times.

Developed by Chris Semmel, branch manager for the mountain and skiing guide association.

HARDWARE | BELAY & SECURITY HARDWARE | BELAY & SECURITY 32|

NOTES

Lightweight ergonomic belay device with blocking function - for climbing outdoors and indoors.

FEATURES:

- Responsive blocking function, with ease of release
- Ergonomic and intuitive handling, desing accommodates risk of
- Ideal for lead belaying: faster rope feeding, quick and smooth transition between locked and unlocked state

 Easily controlled lowering action

 Maximum safety, design ensures braking hand remains on the



MATERIALS DESCRIPTION: 170 g EN 15151, UIAA 129

3990 NIGHT

1484 ALPINE TUBER

Lightweight alpine belay and rappel device.

ROPE DIAMETER:

WEIGHT: CERTIFICATIONS:

- Function for both belaying and rappelling For ropes with a diameter of 7.7 to 11mm
- Friction-free handling due to large rope guiding slots
- Suitable for up to 2 followers on belay
 Deep braking grooves for easy release
 Safety markings on both sides for left and right-handers



WEIGHT:

0335 SKY BLUE

NOTES

1485 MONO TUBER

Lightweight safety device designed according to the tube principle for use with single ropes.

PRODUCT FEATURES:

- Designed for securing with single rope
- For ropes with diameters 7,7 mm 11 mm

- Deep braking grooves for easy release
 Friction-free handling due to large rope guiding slots
 Safety markings on both sides for left and right-handers



WEIGHT: 47 g 7,7 - 11 mm

0335 SKY BLUE

1634 FIGURE 8 MEDIUM G2

Figure 8 for rappelling and belaying.



NOTES

0985 TITAN

NOTES:

BREAKING LOADS LONGITUDINAL: 30 kN

1637 ROPE PULLEY G2

First-class rope pulley for Z-pulley systems, cable pulleys and similar applications.

PRODUCT FEATURES:

- Suitable for ropes between 8 and 12 mm in diameter
- Compact and lightweight construction



WEIGHT:

80 g for 8-12 mm ropes

0535 LIME GREEN

NOTES:

1475 SKYRIDE ROPE ASCENDER

Sturdy rope ascender that also enables fast, effortless descending thanks to its patented Rapid-Release System.

PRODUCT FEATURES:

- Rapid-Release-System for fast and simple engaging and disengaging
- Available in both right- and left-handed versions



WEIGHT: SIZE:

215 g for 8-13 mm ropes

0535 LIME GREEN

NOTES

Piton made of zinc-plated steel with a rounded tip.

PRODUCT FEATURES:

- Available in three lengths



0414 0415 0416 WEIGHT:

0408 ANGLE PITON 115 MM 0409 ANGLE PITON 70 MM

Wedge-shaped piton of tempered steel and a high bias that secures firmly in rock. $% \label{eq:condition}%$

PRODUCT FEATURES:

- Available in two lengths



NOTES:

110 g 55 g 115 mm 70 mm

0412 BLADE PITON 70 MM 0413 BLADE PITON 55 MM

Classic piton of tempered steel for narrow cracks and crevices.

PRODUCT FEATURES:

WEIGHT: LENGTH:

- Available in two lengths



0900 BLACK

0412 0413 110 g 90 g 70 mm 55 mm LENGTH:

0410 UNIVERSAL 100 MM 0411 UNIVERSAL 70 MM

Piton of tempered steel.

PRODUCT FEATURES:

- Available in two lengths



0900 BLACK

0410 0411 WEIGHT: 125 g 70 g 100 mm 70 mm

1482 ANCHOR FOR BOLT

Anchor made of highly corrosion-resistant stainless steel. Fits the "BOLT HANGER".



0090 NATURAL

NOTES:

NOTES:

WEIGHT: MATERIALS DESCRIPTION: CERTIFICATIONS:

60 g Ø10 x 75 mm Stainless Steel 316 EN 959

1488 BOLT HANGER

Highly corrosion-resistant bolt made of stainless steel.



0090 NATURAL

NOTES:

WEIGHT: MAXIMUM LOAD: 40 g 25 kN AXIAL LOAD: 15 kN Ø10 mm Stainless Steel 316 EN 959 MATERIALS DESCRIPTION: CERTIFICATIONS:

1600 BELAY STATION BOLT CHAIN

Highly corrosion resistant set made of a chain with composite anchors, bolts and a ring for the belay, for the safe anchor during alpine clim-



WEIGHT: 360 g

HARDWARE | BELAY & SECURITY HARDWARE | BELAY & SECURITY 36|

The ideal, well-balanced hammer for securing pitons.

PRODUCT FEATURES:

- Grommet on the nose to pull out bolts
 Cord for attaching to belt or pack
- Low vibration thanks to a polyamide shaft



WEIGHT: LENGTH: MATERIALS DESCRIPTION:

0955 BLACK/ YELLOW

1470 CHOOK HOOKY

Light nut remover with 17mm spanner for anchors.



WEIGHT: 45 g



For ambitious climbers, an extremely lightweight single rope with a small diameter. Also suitable for use as a double rope.

0442 SPEED QUEEN 9,1 MM



0995 GREEN/ YELLOW

IMAPCT FORCE: CERTIFICATIONS: 9 kN EN 892, UIAA 101 0445 BASE 9,8 MM

WEIGHT: LENGTH: FALLS:

For quality-conscious beginners. A durable rope with the best price-performance relationship.



4602 ORANGE/ BLACK

WEIGHT: LENGTH: 67 g/m² 30m, 40m, 50m, 60m, 70m, 80m FALLS:

IMAPCT FORCE: CERTIFICATIONS:

8.7 kN UIAA 101, EN 892

0443 ALPINEEXTREME 9,9 MM

63 g/m² 50m, 60m, 70m, 80m

9.5 kN UIAA 101, EN 892

0995 BLUE/ RED

0444 DOUBLE 8,0 MM

48 g/m² 50m, 60m

UIAA 101, EN 892

WEIGHT: LENGTH:

WEIGHT: LENGTH:

FALLS: IMAPCT FORCE: CERTIFICATIONS:

FALLS: IMAPCT FORCE:

Double rope for high-alpine mountain tours. Also suitable for use as a single rope for glacier tours.

A robust all-arounder. Thanks to long-lasting durability, suitable for intensive use.



0905 BLACK

2410 YELLOW

HARDWARE | BELAY & SECURITY

640 MASTER CORD 6MM PRECUT

Pre-cut, high-strength rope for the knotting of slings and for use during alpine climbing and technical mountain climbing.

FEATURES:

- Available in 4 lengths Light and high-strength (>15 kN)
- High UV resistance
- Areas of application: stand construction, intermediate fixing point, extended stand construction, belaying, prusik, pulley, threading



NOTES


| WIDTH: | 6 mm | | 30 | 60 | 120 | 240 |
|-----------------|--------|---------|-------|----|--------|--------|
| MAXIMUM LOAD: | 15 kN | WEIGHT: | 26 g | 0 | 70 g | 130 g |
| CERTIFICATIONS: | EN 564 | LENGTH: | 30 cm | | 120 cm | 240 cm |

647 DYNEEMA SLING

Light webbing sling for use when climbing.

FEATURES:

- Light Low volume
- Areas of application: stand construction, intermediate fixing point, belaying



NOTES:W

| WIDTH: MAXIMUM LOAD: CERTIFICATIONS: | WEIGHT: | 0 | 60 22 g 60 cm | |
|--|---------|---|----------------------------|--|
| | | | | |

Durable webbing sling for quality-conscious beginners.

648 NYLON SLING

FEATURES:

WIDTH: MAXIMUM LOAD:

MAXIMUM LOAD:

- Areas of application: stand construction, intermediate fixing point, belaying



603 ALPINO LOOP

Extra-long loop for challenging alpine climbing.

FEATURES:

- High abrasion resistance and edge strength- High breaking load
- Areas of application: stand construction, intermediate fixing point,



NOTES:

NOTES:

NOTES:

| WIDTH: MAXIMUM LOAD: CERTIFICATIONS: | 8 mm 26 kN FN 566 | WEIGHT (PIECE): LENGTH: | 60 35 g 60 cm | 120 70 g 120 cm |
|--|-------------------------|----------------------------|----------------------------|------------------------------|
| CERTIFICATIONS. | EN 300 | LENGIH. | 60 CIII | 120 (111 |

639 MASTER CORD SPOOL

High-strength rope on coil.

FEATURES:

MAXIMUM LOAD:

- Light and high-strength (>15 kN)
- High UV resistance
- Areas of application: stand construction, intermediate fixing point, extended stand construction, belaying, prusik, pulley, threading




| /EIGHT: 30g/m ENGTH: 60 m, 200 m ERTIFICATIONS: EN 564 |
|--|
|--|

15 kN

641 AUXILIARY CORD 60M SPOOL

Rope on coil in different diameters.



1005 1008 1124 12 g/m 4 mm 4,5 kN 30 g/m 6 mm 9,5 kN 54 g/m 8 mm 14,5 kN WEIGHT: 2 g/m 2 mm MAXIMUM LOAD: 60 m 60 m 60 m

HARDWARE | SLINGS & CORDS

WEIGHT:

25 kN

40 |

42 |

A versatile ice axe which masters all activities related to technical mountaineering, without compromises: Approach, Climbing in steep mixed or ice terrain, building an anchor, crossing glaciers.

FEATURES:

- The precision casted head is carried comfortably as a mean of support.
- Its aggressive blade sits securely in every type of ice and rock. - A balanced weight distribution and a 20° offset shaft guarantee an optimal swing and allow for efficient belay
- Single handed, the grip can be adjusted without any supporting tool and guarantees a perfect hold on steep terrain.
 The anchor leash on the shaft, with tearing support of 5kN, is
- perfect for the self belay on the anchor.
- The grip can move upwards in snow and does not prevent the setting up of an anchor and its function as a supporting tool.

 - The synthetic grip protects from the cold.

 - The replaceable hard metal tip won't slip even on icy surfaces

- Available with adze and hammer.

WEIGHT: LENGTH:

Steel head and blade, 7075 aluminium shaft, steel spike EN 13089, Shaft ①, Blade ⑧ MATERIALS DESCRIPTION: CERTIFICATIONS:



1742 3990 NIGHT/BLACK

NOTES



Classic touring ice axe for high-alpine terrain that includes a quickly adjustable handloop

PRODUCT FEATURES:

- Head and pick of steel, manufactured in one piece for exceptional
- 360° bonding technology makes rivets unnecessary and means a
- longer-lasting tool

 Secure grip even in low temperatures and wet conditions with the ergonomically shaped Progrip shaft and sanded print grip zone
- Intelligently positioned openings offer plenty of room for securing carabiners or slings for belay or rescue
- Handloop is adjustable without tools and offers secure grip to prevent

WEIGHT: LENGTH: 480 g (55 cm) 55 cm, 62.5 cm, 70 cm MATERIALS DESCRIPTION: CONSTRUCTION: Steel pick, 7075 aluminium shaft, steel spike 360° bonded

UIAA 152, EN 13089, Type 1 **B**

1075 TOUR-X PRO

Provides enhanced safety on ski tours: replaces one part of the shovel shaft on the Razor and Scratch models.

PRODUCT FEATURES:

- Weight saving: Replaces one part of the the shovel's telescopic shaft Fits neatly into smaller backpacks
- Compatible with the Salewa avalanche shovels Razor und Scratch
- Compact emergency equipment for all ski tours



0305 SILVER/STEEL

Hot forged head and spike made from 7075 aluminium, shaft of 7075 aluminium UIAA 152, EN 13089, Type 1 8MATERIALS DESCRIPTION: CERTIFICATIONS:

1743 LEASH

WEIGHT:

LENGTH:

PRODUCT FEATURES:

MATERIALS DESCRIPTION:

It can be secured with a munter hitch and a carabiner.

25 g 110 cm



1744 NORTH-X BLADE

The aggressive blade of the "North-X" ice axe guarantees a perfect hold for every type of ice and rock.



0999 BLACK

1094 PICK GUARD

MATERIALS DESCRIPTION:



2400 YELLOW

HARDWARE | ICE AXES HARDWARE | ICE AXES

PRODUCT FEATURES:

- Crampon made of steel
- Includes anti-balling plates
- 12 points
- Sizės 35-48
- Made of soft material that fits perfectly over footwear



WEIGHT: CERTIFICATIONS:

0999 STEEL/BLUE

815 ALPINIST COMBI

Durable, 12-point steel crampon for alpine touring including high-alpine, ridges, north faces.

PRODUCT FEATURES:

- Crampon made of steel
- Includes anti-balling plates
- 12 points
- Sizes 35-48 Made of soft material that fits perfectly over footwear



WEIGHT: CERTIFICATIONS:

0999 STEEL/BLUE

NOTES:

816 ALPINIST STEP-IN

Durable, 12-point steel crampon for alpine touring including high-alpine, ridges, north faces.

PRODUCT FEATURES:

- Crampon made of steel
- Includes anti-balling plates
- 12 points
- Sizės 35-48



WEIGHT: 885 g EN 893 CERTIFICATIONS:

0999 STEEL/BLUE

Lightweight aluminum crampon for simple high-alpine touring in summer or winter or in cases of little contact with rock.

PRODUCT FEATURES:

- Crampon made of aluminum
- Includes anti-balling plates
- 12 points
- Sizes 35-48
- Made of soft material that fits perfectly over footwear



NOTES:

WEIGHT: 680 g EN 893 CERTIFICATIONS:

0999 STEEL/BLUE

812 ALPINIST ALU COMBI

Lightweight aluminum crampon for simple high-alpine touring in summer or winter or in cases of little contact with rock.

PRODUCT FEATURES:

- Crampon made of aluminum
- Includes anti-balling plates
- Sizes 35-48
- Made of soft material that fits perfectly over footwear



0999 STEEL/BLUE

WEIGHT: CERTIFICATIONS:

720 g EN 893

813 ALPINIST ALU STEP-IN

NOTES:

Lightweight aluminum crampon for simple high-alpine touring in summer or winter or in cases of little contact with rock.

PRODUCT FEATURES:

- Crampon made of aluminum
- Includes anti-balling plates
- 12 points
- Sizes 35-48



WEIGHT: CERTIFICATIONS:

EN 893

0999 STEEL/BLUE

44| HARDWARE | CRAMPONS NOTES:

912 CRAMPON POINT PROTECTOR

Mini-crampon with six points with the features of a full-sized style.



WEIGHT: SIZE FRONT: SIZE BACK: 500 g 8.7 - 11 (cm) 8 - 9.5 (cm)

873 INSTEP LONG POINT

Mini-crampon for crossing small snowfields when hiking. Available with short or long points.



280 g **0874 INSTEP SHORT POINT**

3 cm Point

LENGTH: WEIGHT:

Mini-crampon for crossing small snowfields when hiking. Available with short or long points.



0099 BLACK

LENGTH: 2 cm Point WEIGHT: 260 g

Protects other gear from damage.



2400 YELLOW

NOTES:

2516 GEAR BAG

Robust gear bag for secure storage of crampons and other equipment inside or on the outside of backpacks.

PRODUCT FEATURES:

- Versatile attachment points to backpack for optimum access at all times
- Moisture-permeable mesh material for ideal ventilation prevents icing
- Robust, compact material suitable for storing sharp tools for icy conditions, such as crampons or ice screws



WEIGHT: 63 g 0905 BLACK

810 ALPINIST LONG BAR

NOTES:

Extension bar for Alpinist and Alpinist Alu, also suitable for Dru and Alunal crampons.



0999 STEEL

1715 QUICK SCREW

Tested and approved by SALEWA athletes. The "quick screw" for ice climbing is so easy to handle thanks to its ergonomically designed head and comes with a fixed screw cap, easily removed with one hand. This innovative ice screw sets new standards in terms of handling and

PRODUCT FEATURES:

- Ergonomic head means easy handling and efficient placing of the ice
- Ergonomic head means easy handling and emcient placing of the ice screw
 Winder with large handle for fast and effortless tightening
 Ideal screw placing thanks to compact head and direct attachment of harness loop to screw shaft
 Compact construction avoids overloaded climbing harness
 Colour coding for easy length differentiation
 Integrated screw tip protector (patent registration in progress) won't get lost, prevents injury and damage to clothing
 Screw tip protector fixes screw in place until used, easily removed with one hand

- During removal from the ice, screw can remain clipped to rope and won't get lost - Three lengths available


0130 GREEN 0160 BLUE 0190 RED WEIGHT: LENGTH: 230 g 190 mm



0130 GREEN









48 |































- 8-section carbon avalanche probe
 Oversize cross-section for maximum stiffness
- Pull grips for speedy assembling of sections
- Automatic latching
- Teardropshaped tip
- 5cm length markings Last segment coloured red for destination recognitionand warning



WEIGTH: LENGTH: PACKING SIZE

0905 BLACK

2638 LIGHTNING CARBON 240

PRODUCT FEATURES:

- 6-section carbon avalanche probe with extra compact folded size
- Pull grips for speedy assembling of sections
- Automatic latching

- Teardrop-shaped tip
 5cm length markings
 Last segment coloured red for destination recognition and warning



LENGTH: PACKING SIZE:

0905 BLACK

2639 LIGHTNING 320 PRO

PRODUCT FEATURES:

- 8-section carbon avalanche probe
- Oversize cross-section for maximum stiffness
 Pull grips for speedy assembling of sections
 Automatic latching
- Teardropshaped tip
- 5cm length markings
- Last segment coloured red for destination recognitionand warning



WFIGTH: 420 g 320 cm LENGTH:

5386 GREEN/ BLACK

2640 LIGHTNING 240

PRODUCT FEATURES:

- 6-section light alloy avalanche probe with extracompact folded size
 Pull grips for speedy assembling of sections
 Automatic latching

45 cm

- Teardrop-shaped tip - 5cm length markings
- Last segment coloured red for destination recognitionand warning



5386 GREEN/ BLACK

2620 RAZOR

Makes no compromises when it comes to safety - this large, sturdy avalanche shovel is a potential lifesaver.

PRODUCT FEATURES:

- Shovel made of high-strength, tempered aluminium
- Extra-sharp blade edge cuts through the toughest avalanche snow
- Shovel blade with parallel edges prevents snow compressing further thus reducing effort required
- Horizontal tread zone saves footwork effort and stops foot slipping when shovelling
 - Ergonomic Progrip telescopic shaft for perfect handling
 - Robust plastic D-grip practical to hold and doesn't break



NOTES

NOTES:

8465 POLAR BLUE

SHOVEL BLADE: MATERIAL: 23 x 31 cm Alu 6061 T6

2621 SCRATCH

WEIGTH: SHAFTLENGTH:

Absolutely vital life-saving equipment due to lightweight and compact design: the perfect shovel for those aiming for the very top.

PRODUCT FEATURES:

WEIGTH: SHAFTI FNGTH:

PACKING SIZE: SHOVEL BLADE:

Shovel made of high-strength, tempered aluminium

79 cm (max) 39 x 20 cm

20 x 28 cm

47 x 23 cm

- Extra-sharp blade edge cuts through the toughest avalanche snow - Shovel blade with parallel edges prevents snow compressing further thus reducing effort required
 - Horizontal tread zone saves footwork effort and stops foot slipping
- when shovelling
- Ergonomic Progrip telescopic shaft for perfect handling



0455 LIGHT ORANGE

0535 LIME GREEN



WEIGTH:

PACKING SIZE: